

WIND-1		DIAPHRAGM = 172 PLF		WIND-1 (5:12)		DIAPHRAGM = 172 PLF				DIAPHRAGM = PLF						DIAPHRAGM = PLF						DIAPHRAGM = PLF						DIAPHRAGM = PLF				DESIGN LOADS
SHEARWALL	DESIGN PLF	SHEAR AREA	JOISTS	SHEARWALL	DESIGN PLF	SHEAR AREA	JOISTS	SHEARWALL	DESIGN PLF	SHEAR AREA	JOISTS	SHEARWALL	DESIGN PLF	SHEAR AREA	JOISTS	SHEARWALL	DESIGN PLF	SHEAR AREA	JOISTS	SHEARWALL	DESIGN PLF	SHEAR AREA	JOISTS	SHEARWALL	DESIGN PLF	SHEAR AREA	JOISTS	SHEARWALL	DESIGN PLF	SHEAR AREA	JOISTS	WIND-ROOF PSF
A	210 PLF	32"	2	A				A				A				A				A				A				A				1-30
B	210 PLF	112"	2	B				B				B				B				B				B				B				
C	420 PLF	48"	2	C				C				C				C				C				C				C				
D				D				D				D				D				D				D				D				
E				E				E				E				E				E				E				E				
F				F				F				F				F				F				F				F				
G				G				G				G				G				G				G				G				

RETURN AIR REQUIREMENTS

1. 20"x16" GRILL REQUIRED
2. 4"x10" GRILL W/ 2 1/2" DOOR UNDERCUT
3. DOOR(S) MUST BE UNDERCUT 2 1/2" MIN.
4. 4"x24" OR 6"x14" GRILL REQUIRED

F INDICATES REQUIRED NUMBER OF STUDS IN COLUMN

F* THE * SPECIFIES THAT THERE CAN BE NO HOLES IN STUDS IN COLUMNS

BRAND	SERIES
SCHULT	MH28
CMH	

REVISIONS	BY	DATE
REDUCED DEPTH OF BR.3 CLOSET BY 1 1/2"	SSM	03/28/06

GENERAL NOTES

- CEILING HEIGHT = 90.0
- REFER TO DAPIA PAGE MMP-2.0 FOR AREA LIGHT & VENT
- REFER TO DAPIA PAGE EL-1.2 FOR ELEC. SYMBOL & BRANCH CIRCUIT NUMBER
- FLOOR FRAMING SPACING = 16
- TOTAL WINDOW SQFT = 123

DRAWING TITLE

MASTER PLAN

MODEL NAME	SQ. FT.
MANOR HILL SELECT 358951	1512

PLANT	DESCRIPTION	MODEL NO.
954	28X54'8 3BR-2BA	R4428-21RE

DRAWN BY	ORIG. DATE	DATE PRINTED	SHEET NO.
LDG	12/10/2008	03/26/2009	1-1

PDF created with pdfFactory trial version www.pdffactory.com