


NOTE: SEE PAGE 25-1 FOR ALL APPLICABLE NOTES



WIND-PS	DIAPHRAGM =	PLF	DIAPHRAGM =	PLF	DIAPHRAGM =	PLF	DIAPHRAGM =	PLF	DIAPHRAGM =	PLF	DIAPHRAGM =	PLF	DIAPHRAGM =	PLF	DIAPHRAGM =	PLF	DIAPHRAGM =	PLF	DIAPHRAGM =	PLF	DESIGN LOADS
SHEARWALL	DESIGN PLF	SHEAR AREA	DESIGN PLF	SHEAR AREA	DESIGN PLF	SHEAR AREA	DESIGN PLF	SHEAR AREA	DESIGN PLF	SHEAR AREA	DESIGN PLF	SHEAR AREA	DESIGN PLF	SHEAR AREA	DESIGN PLF	SHEAR AREA	DESIGN PLF	SHEAR AREA	DESIGN PLF	SHEAR AREA	WIND-ROOF PSF
A	320 PFL	FULL*	A		A		A		A		A		A		A		A		A		32-52
B	320 PFL	FULL*	B		B		B		B		B		B		B		B		B		
C	320 PFL	66"	C		C		C		C		C		C		C		C		C		
D	320 PFL	66"	D		D		D		D		D		D		D		D		D		
E			E		E		E		E		E		E		E		E		E		
F			F		F		F		F		F		F		F		F		F		
G			G		G		G		G		G		G		G		G		G		

RETURN AIR REQUIREMENTS		INDICATES REQUIRED NUMBER OF STUDS IN COLUMN	
①	20"x16" GRILL REQUIRED	◆	THE * SPECIFIES THAT THERE CAN BE NO HOLES IN STUDS IN COLUMNS
②	4"x10" GRILL W/ 2 1/2" DOOR UNDERCUT		
③	DOOR(S) MUST BE UNDERCUT 2 1/2" MIN.		
④	4"x24" OR 6"x14" GRILL REQUIRED		

BRAND	SERIES	REVISIONS	BY	DATE	GENERAL NOTES	DRAWING TITLE	MODEL NAME	SQ. FT.
SCHULT	MD32				CEILING HEIGHT = 96.00	MASTER PLAN	INTEGRITY MODULAR-367104	2152
CLAYTON HOME BUILDING GROUP					FLOOR FRAMING SPACING = 16 TOTAL WINDOW SQFT = 193.1		PLANT DESCRIPTION: 954 32X72 3BR-2BA MODEL NO.: MR7232-402RS	
							DRAWN BY: DRT ORIG. DATE: 01/03/2017	SHEET NO.: 1-1